

For guidance on planning your revegetation or restoration site (size, shape, species, density of planting) refer to chapters 4 and 5 of this guide, and head to [www.revegetation.org.au](http://www.revegetation.org.au)

Remember: good quality vegetation sites may not need revegetation at all. Appropriate management can encourage natural regeneration.

# GREEN HILLS - UPPER TARCUTTA



| LANDFORM                | Creekline   |  | Mid to upper slopes  |  | Upper slopes  |  |
|-------------------------|---|--|--|--|---|--|
| VEGETATION TYPE         | Swamp Gum woodland  |  | Montane woodland   |  |   |  |
| GEOLOGY & SOILS         | Maragle Bathylith. Red and yellow podzolic (duplex) soils   |  |  |  |   |  |
| LOCATION EXAMPLE        | Tarcutta Creek (upper reaches)  |  | Lower Bago   |  | Courabyra   |  |
| <b>TREES &gt; 8 m</b>   | <i>Acacia dealbata</i><br><i>A. melanoxylon</i><br><i>Eucalyptus blakelyi</i><br><i>E. bridgesiana</i><br>+ <i>E. camphora</i><br><i>E. robertsonii</i> | Silver Wattle<br>Blackwood<br>Blakely's Red Gum<br>Apple Box<br>Mountain Swamp Gum<br>Robertson's Peppermint | <i>Acacia dealbata</i><br><i>A. melanoxylon</i><br><i>Eucalyptus dives</i><br><i>E. macrorhyncha</i><br><i>E. mannifera</i><br><i>E. melliodora</i><br><i>E. polyanthemos</i><br><i>E. robertsonii</i><br><i>E. viminalis</i><br><i>Exocarpos cupressiformis</i> | Silver Wattle<br>Blackwood<br>Broad-leaved Peppermint<br>Red Stringybark<br>Brittle Gum<br>Yellow Box<br>Red Box<br>Robertson's Peppermint<br>Manna Gum<br>Native Cherry | <i>Acacia dealbata</i><br><i>A. melanoxylon</i><br>+ <i>Eucalyptus camphora</i><br><i>E. dives</i><br><i>E. robertsonii</i><br><i>E. rubida</i><br><i>E. stellulata</i><br><i>Exocarpos cupressiformis</i>  | Silver Wattle<br>Blackwood<br>Mountain Swamp Gum<br>Broad-leaved Peppermint<br>Robertson's Peppermint<br>Candlebark<br>Black Sallee<br>Native Cherry                                       |
|                         | + drainage lines/soaks  |  |  |  | + damp areas/drainage lines   |  |
| <b>SHRUBS 1.5 - 8 m</b> | # <i>Bursaria spinosa lasiophylla</i><br>+ <i>Leptospermum continentale</i><br>+ <i>L. obovatum</i>   | Hairy Bursaria<br>Prickly Tea-tree<br>River Tea-tree   | <i>Bursaria spinosa lasiophylla</i><br><i>Cassinia aculeata</i><br><i>Daviesia latifolia</i><br><i>Oxylobium oxylobioides</i><br><i>Pomaderris phyllicifolia phyllicifolia</i><br><i>Platylobium formosum</i>  | Hairy Bursaria<br>Common Cassinia<br>Hop Bitter-pea<br>Mountain Oxylobium<br>Pomaderris<br>Handsome Flat-pea   | <i>Cassinia longifolia</i><br><i>Daviesia latifolia</i><br><i>D. ulicifolia</i><br>+ <i>Epacris breviflora</i><br><i>Indigofera australis</i><br>+ <i>Leptospermum continentale</i><br>+ <i>L. grandifolium</i><br><i>Oxylobium oxylobioides</i><br><i>Platylobium formosum</i><br>+ <i>Prostanthera lasianthos</i> | Shiny Cassinia<br>Hop Bitter-pea<br>Gorse Bitter-pea<br>Drumstick Heath<br>Austral Indigo<br>Prickly Tea-tree<br>Mountain Tea-tree<br>Mountain Oxylobium<br>Handsome Flat-pea<br>Mint Bush |
|                         | # not noted in area but suggested for re-planting + damp / poorly drained sites   |  |  |  | + creeks and drainage lines   |  |
| <b>GROUND COVERS</b>    | # <i>Carex</i> spp.<br># <i>Juncus</i> spp.<br><i>Phragmites australis</i><br># <i>Typha</i> spp.   | Sedge<br>Rush<br>Common Reed<br>Cumbungi   | <i>Bothriochloa macra</i><br><i>Hardenbergia violacea</i><br><i>Poa sieberiana</i><br><i>Themeda triandra</i>  | Red Grass<br>Purple Coral Pea<br>Fine-leaf Tussock Grass<br>Kangaroo Grass   | <i>Glycine clandestina</i><br><i>Hibbertia obtusifolia</i><br><i>Lomandra</i> spp.<br><i>Melichrus urceolatus</i><br><i>Poa sieberiana</i><br><i>Tetradlea ciliata</i><br><i>Themeda triandra</i>   | Twining Glycine<br>Grey Guinea-flower<br>Mat-rush<br>Urn Heath<br>Fine-leaf Tussock Grass<br>Pink Bells<br>Kangaroo Grass  |
|                         | # not noted in area but suggested for re-planting   |  |  |  |   |  |